AE-MTX-0305.1 05 Sep 23

FUEL FACILITY CHECKS	STATION:	ION:							FAC	FACILITY:						Σ	MONTH:	<u>.:</u>				YEAR:	<u>ښ</u>					
DAILY 1	2	3	4	5	9	7 8	6	10	11	12	13	14	15	16 1	17 1	18 1	19 20) 21	. 22	23	24	25	26	27	28	59	30	31
RECORD DAILY SUMP RESULTS ON FORM AE-MTX-0305.1 & DAILY FILTER DIFFERENTIAL	305.18	DAIL	Y FILTE	R DIF	FERENT		ESSUR	E ON F	ORM 4	(E-MT)	PRESSURE ON FORM AE-MTX-0314.1 (WEEKLY CORRECTED DP SHOULD BE RECORDED ON FORM AE-FSPM-0305.3)	1.1 (W	EEKLY	CORR	ECTED	DP SH	ONTD	BE RE(CORDE	NO Q	FORIN	1 AE-FS	SPM-03	305.3)				
1. GENERAL CONDITION OF TANK YARD				7	\dashv	\dashv	\dashv	_					\dashv															
2. SECURITY, FIRE & SAFETY DEFICIENCIES						-																						
3. HOSES, SWIVELS, NOZZLES & COUPLERS					-	_																						
4. STATIC REELS, CABLES AND CLAMPS																												
5. FIRE EXTINGUISHERS																												
6. EMPTY SUMP SEPARATORS																												
IDENTIFICATION OF PERSON PERFORMING TASKS OR PERSON ACCEPTING RESPONSIBILITY THAT TASKS WERE PERFORMED																												
				$\ \ $	$\left\{ \ ight]$	┨┠	$\left\{ \ ight]$	$[\]$	$[\]$]]			$\ \ $	$\left\{ \ ight]$	11	H	$\ \ $	۱,						1		1		
MONTHLY				CON	CONDITION		DATE	щ				S	SIGNATURE	URE														
1. FILTRATION MEMBRANE TEST (MILLIPORE)						-																						
2. FREE WATER TEST																		1										
3. LOADING RACK NOZZLE SCREEN VISUAL INSPECTION	z																	ı										
3a. LOADING RACK NOZZLE SCREEN CLEANING (only required for loading racks with filter monitors)	rs)																	1										
4. SIGNS, LABELS & PLACARDS						\vdash												I										
5. FLOATING SUCTIONS																		I										
6. FIRE EXTINGUISHERS																												
7. CLAY TREATERS																												
8. FSII CONCENTRATION (FOR PRE-MIXED JET-A WITH FSII ONLY)	FSII OI	NLY)																										
REMARKS:																												
CONTRICTION CORES: 5 = 5.4TISEACTORY: C = CONTRACENT (BEOLINGEN SECTION SERVED SECTION SERVED SECTION	AENIT /	וווטור	2	7 7 7 7	ייי ער כב	CTION!		M/II - MOT IISED	13311	٠,١٨		- NOT APPLICABLE		L.]			ı